

TCI AND MENTAL & PERSONALITY DISORDERS

Prepared by T. Kitamura

Mental disorders (excluding substance disorders and addictive behaviours)

- Abrahams, K. Y., Yune, S. K., Kim, S. J., Jeon, H. J., Han, S. J., Hwang, J., Sung, Y. H., Lee, K. J., & Lyoo, I. K. (2004). Trait and state aspects of harm avoidance and its implication for treatment in major depressive disorder, dysthymic disorder, and depressive personality disorder. *Psychiatry and Clinical Neurosciences*, *58*, 240-248.
- Agosti, V., & McGrath, P. J. (2002). Comparison of the effects of fluoxetine, imipramine and placebo on personality in atypical depression. *Journal of Affective Disorders*, *71*, 113-120.
- Alonso, P., Menchón, J. M., Jiménez, S., Segalàs, J., Mataix-Cols, D., Jaurrieta, N., Labad, J., Vallejo, J., Cardoner, N., & Pujol, J. (2008). Personality dimensions in obsessive-compulsive disorder: Relation to clinical variables. *Psychiatry Research*, *157*, 159-168.
- Álvarez-Moya, E. M., Jiménez-Murcia, S., Granero, R., Vallejo, J., Krug, I., Bulik, C. M., & Fernández-Aranda, F. (2007). Comparison of personality risk factors in bulimia nervosa and pathological gambling. *Comprehensive Psychiatry*, *48*, 452-457.
- Amianto, F., Abbate-Daga, G., Morando, S., Sobrero, C., & Fassino, S. (2011). Personality development characteristics of women with anorexia nervosa, their healthy sblings and healthy controls: What prevents and what relates to psychopathology? *Psychiatry Research*, *187*, 401-408.
- Ampollini, P., Marchesi, C., Signifredi, R., Ghinaglia, E., Scardovi, F., Codeluppi, S., & Maggini, C. (1999). Temperament and personality features in patients with major depression, panic disorder and mixed conditions. *Journal of Affective Disorders*, *52*, 203-207.
- Anckarsäter, H., Stahlberg, O., Larson, T., Hakansson, C., Jutblad, S.-B., Niklasson, L., Nydén, A., Wentz, E., Westergren, S., Cloninger, C. R., Gillberg, C., & Rastam, M. (2006). The impact of ADHD and autism spectrum disorders on temperament, character, and personality development. *American Journal of Psychiatry*, *163*, 1239-1244.
- Angheliescu, I., Klawe, C., Fehr, C., Singer, P., Schleicher, A., Himmerich, H., Hiemke, C., Dahmen, N., & Szegedi, A. (2005). The TPH intron 7 A218C polymorphism and TCI dimension scores in alcohol-dependent patients: Hints to nonspecific psychopathology. *Addictive Behaviors*, *30*, 1135-1143.
- Ball, S., Smolin, J., & Shekhar, A. (2002). A psychobiological approach to personality: Examination within anxious outpatients. *Journal of Psychiatric Research*, *36*, 97-103.
- Baiaux, P., le Bon, O., Dramaix, M., Massat, I., Souery, D., Mendelewicz, J., Pelc, I., & Verbanck, P. (2001). Temperament and character inventory (TCI) personality profile and sub-typing in alcoholic patients: A controlled study. *Alcohol & Alcoholism*, *36*, 584-587.
- Battaglia, M., Bertella, S., Bajo, S., Politi, E., & Bellodi, L. (1998). An investigation of the co-occurrence of panic and somatization disorders through temperamental variables. *Psychosomatic Medicine*, *60*, 726-729.
- Bejerot, S., Schlette, P., Ekselius, L., Adolfsson, R., & von Knorring, L. (1998). Personality disorders and relationship to personality dimensions measured by the Temperament and Character Inventory in patients with obsessive-compulsive disorder. *Acta Psychiatrica Scandinavica*, *98*, 243-249.
- Berg, M. L., Crosby, R. D., Wonderlich, S. A., & Hawley, D. (2000). Relationship of temperament and perceptions of nonshared environment in bulimia nervosa. *Journal of Eating Disorder*, *28*, 148-154.
- Boeker, H., Kleiser, M., Lehman, D., Jaenke, L., Bogerts, B., & Northoff, G. (2006). Executive dysfunction, self, and ego pathology in schizophrenia: An exploratory study of neuropsychology and personality. *Comprehensive Psychiatry*, *47*, 7-19.
- Bora, E., & Veznedaroglu, B. (2007). Temperament and character dimensions of the relatives of schizophrenia patients and controls:

- The relationship between schizotypal features and personality. *European Psychiatry*, 22, 27-31.
- Cassin, S. E., & von Ranson, K. M. (2005). Personality and eating disorders: A decade in review. *Clinical Psychology Review*, 25, 895-916.
- Celikel, F. C., Kose, S., Cumurcu, B. E., Erkorkmaz, U., Sayar, K., Borckardt, J. J., & Cloninger, C. R. (2009). Cloninger's temperament and character dimensions of personality in patients with major depressive disorder. *Comprehensive Psychiatry*, 50, 556-562.
- Chapman, A. L., Derbidge, C. M., Cooney, E., Hong, P. Y., & Linehan, M. M. (2009). Temperament as a prospective predictor of self-injury among patients with borderline personality disorder. *Journal of Personality Disorders*, 23, 122-140.
- Chatterjee, S., Sunitha, T. A., Velayudhan, A., & Khanna, S. (1997). An investigation into the psychobiology of social phobia: Personality domains and serotonergic function. *Acta Psychiatrica Scandinavica*, 95, 544-550.
- Cho, S.-C., Hwang, J.-W., Lyoo, I.-K., Yoo, H.-J., Kin, B.-N., & Kim, J.-W. (2008). Patterns of temperament and character in a clinical sample of Korean children with attention-deficit hyperactivity disorder. *Psychiatry and Clinical Neurosciences*, 62, 160-166.
- Cho, S.-C., Jung, S.-W., Kim, B.-N., Hwang, J.-W., Shin, M.-S., Kim, J.-W., Chung, D.-S., Kim, H.-W. (2009a). Temperament and character among Korean children and adolescents with anxiety disorders. *European Child and Adolescent Psychiatry*, 18, 60-64.
- Cho, S.-C., Kim, B.-N., Kim, J.-W., Rohde, L. A., Hwang, J.-W., Chung, D.-S., Shin, M.-S., Lyoo, I. K., Go, B.-J., Lee, S.-E., & Kim, H.-W. (2009b). Full syndrome and sub-threshold attention-deficit/hyperactivity disorder in a Korean community sample: Comorbidity and temperament findings. *European Child and Adolescent Psychiatry*, 18, 447-457.
- Cloninger, C. R., Svrakic, D. M., & Przybeck, T. R. (2006). Can personality assessment predict future depression? A twelve-month follow-up of 631 subjects. *Journal of Affective Disorders*, 92, 35-44.
- Cortés, M. J., Valero, J., Gutiérrez-Zotes, J. A., Hernández, A., Moreno, L., Jarrod, M., Martorell, L., Vilella, E., & Labad, A. (2009). Psychopathology and personality traits in psychotic patients and their first-degree relatives. *European Psychiatry*, 24, 476-782.
- Cowley, D. S., Roy-Byrne, P. P., Greenblatt, D. J., & Hommer, D. W. (1993). Personality and benzodiazepine sensitivity in anxious patients and control subjects. *Psychiatry Research*, 47, 151-162.
- Csorba, J., Dinya, E., Ferencz, E., Steiner, P., Bertalan, G., & Zsador, A. (2009). Novelty seeking: Difference between suicidal and non-suicidal Hungarian adolescent outpatients suffering from depression. *Journal of Affective Disorders*, 120, 217-220.
- de Padilla, M. C., Padilla, E., Alemán, G. G., Bourdieu, M., Guerrero, G., Strejilevich, S., Escobar, J. I., Svrakic, N., Cloninger, C. R., & de Erausquin, G. (2006). Temperament traits associated with risk of schizophrenia in an indigenous population of Argentina. *Schizophrenia Research*, 83, 299-302.
- de Saint Hilaire, Z., Straub, J., & Pelissolo, A. (2005). Temperament and character in primary insomnia. *European Psychiatry*, 20, 188-192.
- de Winter, R. F. P., Wolterbeek, R., Spinhoven, P., Zitman, F. G., & Goekoop, J. G. (2007). Character and temperament in major depressive disorder and a highly anxious-retarded subtype derived from melancholia. *Comprehensive Psychiatry*, 48, 426-435.
- Downey, K. K., Pomerleau, C. S., & Pomeelean, O. F. (1996). Personality differences related to smoking and adult attention deficit hyperactivity disorder. *Journal of Substance Abuse*, 8, 129-135.
- Downey, K. K., Stelson, F. W., Pomerleau, O. F., Giordani, B. (1997). Adult attention deficit hyperactivity disorder: Psychological test profiles in a clinical population. *Journal of Nervous and Mental Disease*, 185, 32-38.
- Engström, C., Brändström, S., Sigvardsson, S., Cloninger, C. R., & Nylander, P.-O. (2004). Bipolar disorder. I. Temperament and character. *Journal of Affective Disorders*, 82, 131-134.
- Ettelt, S., Grabe, H. J., Ruhrmann, S., Buhtz, F., Hochrein, A., Kraft, S., Pukrop, R., Klosterkötter, J., Falkai, P., Maier, W., John, U., Freyberger, H. J., & Wagner, M. (2008). Harm avoidance in subjects with obsessive-compulsive disorder and their families. *Journal of Affective Disorders*, 107, 265-269.
- Evans, L., Akiskal, H. S., Keck, Jr., P. E. McElroy,

- S. L., Sadovnick, A. D., Remick, R. A., & Kelsoe, J. R. (2005). Familiality of temperament in bipolar disorder: Support for a genetic spectrum. *Journal of Affective Disorders, 85*, 153-168.
- Faraone, S. V., Kunwar, A., Adamson, J., & Biederman, J. (2009). Personality traits among ADHD adults: Implications of late-onset and subthreshold diagnoses. *Psychological Medicine, 39*, 685-693.
- Farmer, A., Mahmood, A., Redman, K., Harris, T., Sadler, S., & McGuffin, P. (2003). A sib-pair study of the temperament and character inventory scales in major depression. *Archives of General Psychiatry, 60*, 490-496.
- Farmer, R. F., & Seeley, J. R. (2009). Temperament and character predictors of depressed mood over a 4-year interval. *Depression and Anxiety, 26*, 371-381.
- Fassino, S., Amianto, F., & Abbate-Daga, G. (2009). The dynamic relationship of parental personality traits with the personality and psychopathology traits of anorectic and bulimic daughters. *Comprehensive Psychiatry, 50*, 232-239.
- Ghazinour, M., Richter, J., & Eisemann, M. (2003). Personality related to coping and social support among Iranian refugees in Sweden. *Journal of Nervous and Mental Disease, 191*, 595-603.
- Gil, S. (2005). Pre-traumatic personality as a predictor of post-traumatic stress disorder among undergraduate students exposed to a terrorist attack: A prospective study in Israel. *Personality and Individual Differences, 39*, 819-827.
- Goncalves, D. M., & Cloninger, C. R. (2010). Validation and normative studies of the Brazilian Portuguese and American versions of the Temperament and Character Inventory-Revised (TCI-R). *Journal of Affective Disorders, 124*, 126-133
- Gonzalez-Torres, M. A., Inchausti, L., Aristegui, M., Fernández-Rivas, A., Ruiz, E., Fernandez, E., & Bayón, C. (2009). Temperament and character dimensions in patients with schizophrenia, relatives, and controls. *Journal of Nervous and Mental Disease, 197*, 514-519.
- Gothelf, D., Aharonovsky, O., Horesh, N., Carty, T., & Apter, A. (2004). Life events and personality factors in children and adolescents with obsessive-compulsive disorder and other anxiety disorders. *Comprehensive Psychiatry, 45*, 192-198.
- Guillem, F., Bicu, M., Semkovska, M., & Debruille, J. B. (2002). The dimensional symptom structure of schizophrenia and its association with temperament and character. *Schizophrenia Research, 56*, 137-147.
- Hakala, M., Vahlberg, T., Niemi, P. M., & Karlsson, H. (2006). Brain glucose metabolism and temperament in relation to severe somatization. *Psychiatry and Clinical Neurosciences, 60*, 669-675.
- Halvorsen, M., Wang, C. E., Richter, J., Myrland, I., Pedersen, S. K., Eisemann, M., & Waterloo, K. (2009). Early maladaptive schemas, temperament and character traits in clinically depressed and previously depressed subjects. *Clinical Psychology and Psychotherapy, 16*, 394-407.
- Hansenne, M., & Bianchi, J. (2009). Emotional intelligence and personality in major depression: Trait versus state effects. *Psychiatry Research, 166*, 63-68.
- Hansenne, M., Pitchot, W., Moreno, A. G., Marchurot, P.-Y., & Ansseau, M. (1998). The tridimensional personality questionnaire (TPQ) and depression. *European Psychiatry, 13*, 101-103.
- Hansenne, M., Reggers, J., Pinto, E., Kjiri, K., Ajamier, A., & Ansseau, M. (1999). Temperament and character inventory (TCI) and depression. *Journal of Psychiatric Research, 33*, 31-36.
- Hiramura, H., Uji, M., Shikai, N., Chen, Z., Matsuoka, N., & Kitamura, T. (2009). Understanding externalizing behavior from children's temperament and parental rearing. *Psychiatry Research (in the print)*
- Hirano, S., Sato, T., Narita, T., Kusunoki, K., Ozaki, N., Kimura, S., Takahashi, T., Sakado, K., & Uehara, T. (2002). Evaluating the state dependency of the Temperament and Character Inventory dimensions in patients with major depression: A methodological contribution. *Journal of Affective Disorders, 69*, 31-38.
- Hori, H., Noguchi, H., Hashimoto, R., Nakabayashi, T., Saitoh, O., Murray, R. M., Okabe, S., & Kunugi, H. (2008). Personality in schizophrenia assessed with the temperament and character inventory (TCI). *Psychiatry Research, 160*, 175-183.
- Hsu, S.-C., Liu, C.-Y., & Hsiao, M.-C. (2007). A comparison of the Tridimensional Personality Questionnaire in premenstrual dysphoric disorder and major depressive disorder.

- Comprehensive Psychiatry*, 48, 366-370.
- Hur, J.-W., & Kim, Y.-K. (2009). Comparison of clinical features and personality dimensions between patients with major depressive disorder and normal control. *Psychiatry Investigation*, 6, 150-155.
- Hwang, J. W., Lyoo, I. K., Kim, B. N., Shin, M. S., Kim, S. J., & Cho, S. C. (2006). The relationship between temperament and character and psychopathology in community children with overweight. *Developmental and Behavioral Pediatrics*, 27, 18-24.
- Janowsky, D. S., Morter, S., Hong, L., & Howe, L. (1999). Myers Biggs type indicator and tridimensional personality questionnaire differences between bipolar patients and unipolar depressed patients. *Bipolar Disorders*, 2, 98-108.
- Johnson, D. E., Waid, L. R., & Anton, R. F. (1997). Childhood hyperactivity, gender, and Cloninger's personality dimensions in alcoholics. *Addictive Behaviors*, 22, 649-653.
- Jylhä, P., & Isometsä, E. (2006). Temperament, character and symptoms of anxiety and depression in the general population. *European Psychiatry*, 21, 389-395.
- Jylhä, P., Mantere, O., Melartin, T., Suominen, M. K., Vuorilehto, M., Arvilommi, P., Holma, I., Holma, M., Leppämäki, S., Valtonen, H., Rytsälä, H., & Isometsä, E. (2011). Differences in temperament and character dimensions in patients with bipolar I and II or major depressive disorder and general population subjects. *Psychological Medicine*, 41, 1579-1591.
- Karvonen, J. T., Veijola, J., Kantojärvi, L., Miettunen, J., Ekelund, J., Lichtermann, D., Läksy, K., & Joukamaa, M. (2006). Temperament profiles and somatization: An epidemiological study of young adult people. *Journal of Psychosomatic Research*, 61, 841-846.
- Kennedy, B. L., Schwab, J. J., & Hyde, J. A. (2001). Defense styles and personality dimensions of research subjects with anxiety and depressive disorders. *Psychiatric Quarterly*, 72, 251-262.
- Kim, S. J., Kang, J. I., & Kim, C.-H. (2009). Temperament and character in subjects with obsessive-compulsive disorder. *Comprehensive Psychiatry*, 50, 567-572.
- Kim, S. J., Lee, S. J., Yune, S. K., Sung, Y. H., Bae, S. C., Chung, A., Kim, J., & Lyoo, I. K. (2006). The relationship between the biogenetic temperament and character and psychopathology in adolescents. *Psychopathology*, 39, 80-86.
- Kim, S. W., & Hoover, K. M. (1996). Tridimensional Personality Questionnaire: Assessment in patients with social phobia and a control group. *Psychological Reports*, 78, 43-49.
- Kim, S. W., & Grant, J. E. (2001). Personality dimensions in pathological gambling disorder and obsessive-compulsive disorder. *Psychiatry Research*, 104, 205-212.
- Kimura, S., Sato, T., Takahashi, T., Narita, T., Hirano, S., & Goto, M. (2000). Typus melancholicus and the temperament and character inventory personality dimensions in patients with major depression. *Psychiatry and Clinical Neurosciences*, 54, 181-189.
- Kleinfield, E. I., Sunday, S., Hurt, S., & Halmi, K. A. (1994). The tridimensional personality questionnaire: An exploration of personality traits in eating disorders. *Journal of Psychiatric Research*, 28, 413-423.
- Klump, K. L., Strober, M., Bulik, C. M., Thornton, L., Johnson, C., Devlin, B., Fichter, M. M., Halmi, K. A., Kaplan, A. S., Woodside, D. B., Criw, S., Mitchell, J., Rotonodo, A., Keel, P. K., Berrettini, W. H., Plotnicov, K., Pollice, C., Lilienfeld, L. R., & Kaye, W. H. (2004). Personality characteristics of women before and after recovery from an eating disorder. *Psychological Medicine*, 34, 1407-1418.
- Krug, I., Bulik, C. M., Vall-Llovera, O. N., Granero, R., Agüera, Z., Villarejo, C., Jiménez-Murcia, S., & Fernández-Aranda, F. (2008). Anger expression in eating disorders: Clinical, psychopathological and personality correlates. *Psychiatry Research*, 161, 195-205.
- Kurs, R., Farkas, H., & Ritsner, M. (2005). Quality of life and temperament factors in schizophrenia: Comparative study of patients, their siblings and controls. *Quality of Life Research*, 14, 433-440.
- Kusunoki, K., Sato, T., Taga, C., Yoshida, T., Komori, K., Narita, T., Hirano, S., Iwata, N., & Ozaki, N. (2000). Low novelty-seeking differentiates obsessive-compulsive disorder from major depression. *Acta Psychiatrica Scandinavica*, 101, 403-405.
- Loftus, S. T., Garno, J. L., Jaeger, J., & Malhotra, A. K. (2008). Temperament and character dimensions in bipolar I disorder: A comparison to healthy controls. *Journal of Psychiatric Research*, 42, 1131-1136.

- Lövdahl, H., Bøen, E., Falkum, E., Hynnekleiv, T., & Malt, U. F. (2010). Temperament and character in patients with bipolar II disorder and recurrent brief depression. *Comprehensive Psychiatry*, *51*, 607-617.
- Lynn, D. E., Lubke, G., Yang, M., McCracken, J. T., McGough, J. J., Ishii, J., Loo, S. K., Nelson, S. F., & Smalley, S. L. (2005). Temperament and character profiles and the dopamine D4 receptor gene in ADHD. *American Journal of Psychiatry*, *162*, 906-914.
- Malmgren-Olsson, E.-B., & Bergdahl, J. (2006). Temperament and character personality dimensions in patients with non-specific musculoskeletal disorders. *Clinical Journal of Pain*, *22*, 625-631.
- Marchesi, C., De Panfilis, C., Cantoni, A., Giannelli, M. R., & Maggini, C. (2008). Effect of pharmacological treatment on temperament and character in panic disorder. *Psychiatric Research*, *158*, 147-154.
- Margetić, B. A., Jakovljević, M., Ivanec, D., & Margetić, B. (2011). Temperament, character, and quality of life in patients with schizophrenia and their first-degree relatives. *Comprehensive Psychiatry*, *52*, 425-430.
- Marijnissen, G., Tuinier, S., Sijben, A. E. S., & Verhoeven, W. M. A. (2002). The temperament and character inventory in major depression. *Journal of Affective Disorders*, *70*, 219-223.
- Matsudaira, T., Fukuhara, T., & Kitamura, T. (2009). The impact of temperament and character on symptoms of depression and anxiety among Japanese psychiatric outpatients (submitted)
- Matsudaira, T., & Kitamura, T. (2006). Personality traits as risk factors of depression and anxiety among Japanese students. *Journal of Clinical Psychology*, *62*, 97-109.
- Minaya, O., & Fresán, A. (2009). Anxiety disorders comorbidity in first-episode depressed patients: Personality differences based on the temperament and character inventory. *Personality and Individual Differences*, *47*, 522-526.
- Mizushima, H., Ono, Y., & Asai, M. (1998). TCI temperamental scores in bulimia nervosa patients and normal women with and without diet experiences. *Acta Psychiatrica Scandinavica*, *98*, 228-230.
- Mörtberg, E., Bejerot, S., & Wistedt, A. Å. (2007). Temperament and character dimensions in patients with social phobia: Patterns of change following treatments? *Psychiatry Research*, *152*, 81-90.
- Nagata, T., Oshima, J., Wada, A., Yamada, H., Iletani, T., & Kiriike, N. (2003). Temperament and character of Japanese eating disorder patients. *Comprehensive Psychiatry*, *44*, 142-145.
- Naito, M., Kijima, N., & Kitamura, T. (2000). Temperament and Character Inventory (TCI) as predictors of depression among Japanese college students. *Journal of Clinical Psychology*, *56*, 1579-1585.
- Nery, F. G., Hatch, J. P., Glahn, D. C., Nicoletti, M. A., Monkul, E. S., Najt, P., Fonseca, M., Bowden, C. L., Cloninger, C. R., & Soares, J. C. (2008). Temperament and character traits in patients with bipolar disorder and associations with comorbid alcoholism or anxiety disorders. *Journal of Psychiatric Research*, *42*, 569-577.
- Nery, F. G., Hatch, J. P., Nicoletti, M. A., Monkul, E. S., Najt, P., Matsuo, K., Cloninger, C. R., & Soares, J. C. (2009). Temperament and character traits in major depressive disorder: Influence of mood state and recurrence of episodes. *Depression and Anxiety*, *26*, 382-388.
- Nowakowska, C., Strong, C. M., Santosa, C. M., Wang, P. W., & Ketter, T. A. (2005). Temperament commonalities and differences in euthymic mood disorder patients, creative controls, and health controls. *Journal of Affective Disorders*, *85*, 207-215.
- Olvera, R. L., Fonseca, M., Caetano, S. C., Hatch, J. P., Hunter, K., Nicoletti, M., Pliszka, S. R., Cloninger, C. R., & Soares, J. C. (2009). Assessment of personality dimensions in children and adolescents with bipolar disorder using the junior temperament and character inventory. *Journal of Child and Adolescent Psychopharmacology*, *19*, 13-21.
- Osher, Y., Cloninger, C. R., & Belmaker, R. H. (1996). TPQ in euthymic manic-depressive patients. *Journal of Psychiatric Research*, *30*, 353-357.
- Osher, Y., Lefkifker, E., & Kotler, M. (1999). Low persistence in euthymic manic-depressive patients: A replication. *Journal of Affective Disorders*, *53*, 87-90.
- Pallanti, S. (2007). Social anxiety disorder and temperament: Excitatory and inhibitory mechanisms on primary motor cortex in patients and healthy controls. *European Psychiatry*, *22*, S284-284.

- Pecorari, G., Gramaglia, C., Garzaro, M., Abbate-Daga, G., Cavallo, G. P., Giordano, C., & Fassino, S. (2009). Self-esteem and personality in subjects with and without body dysmorphic disorder traits undergoing cosmetic rhinoplasty: Preliminary data. *Journal of Plastic, Reconstructive & Aesthetic Surgery*, *63*, 493-498.
- Pfohl, B., Black, D., Noyes, R. Jr., Kelly, M., & Blum, N. (1990). A test of the tridimensional personality theory: association with diagnosis and platelet imipramine binding in obsessive-compulsive disorder. *Biological Psychiatry*, *28*, 41-46.
- Pud, D., Eisenberg, E., Sprecher, E., Rodowski, Z., & Yarnitsky, D. (2004). The tridimensional personality theory and pain: Harm avoidance and reward dependence traits correlate with pain perception in healthy volunteers. *European Journal of Pain*, *8*, 31-38.
- Purper-Ouakil, D., Cortese, S., Wohl, M., Ubron, V., Orejarena, S., Michel, G., Asch, M., Mouren, M.-C., & Gorwood, P. (2010). Temperament and character dimensions associated with clinical characteristics and treatment outcome in attention-deficit/hyperactivity disorder boys. *Comprehensive Psychiatry*, *51*, 286-292.
- Rettew, D. C., Copeland, W., Stanger, C., & Hudziak, J. (2004). Associations between temperament and DSM-IV externalizing disorders in children and adolescents. *Journal of Developmental & Behavioral Pediatrics*, *25*, 383-391.
- Richter, J., Eisemann, M., & Richter, G. (2000). Temperament and character during the course of unipolar depression among inpatients. *European Archives of Psychiatry and Clinical Neurosciences*, *250*, 40-47.
- Richter, M. A., Summerfeldt, L. J., Joffe, R. T., & Swinson, R. P. (1996). The tridimensional personality questionnaire in obsessive-compulsive disorder. *Psychiatry Research*, *65*, 185-188.
- Ritsner, M., & Susser, E. (2004). Temperament types are associated with weak self-construct, elevated distress and emotion-oriented coping in schizophrenia: Evidence for a complex vulnerability marker? *Psychiatry Research*, *128*, 219-228.
- Ruchkin, V. V., Eisemann, M., & Häggglöf, B. (1998). Juvenile male rape victims: Is the level of post-traumatic stress related to personality and parenting? *Child Abuse & Neglect*, *22*, 889-899.
- Ruchkin, V. V., Eisemann, M., Häggglöf, B., & Cloninger, C. R. (1998). Aggression in delinquent adolescents vs controls in Northern Russia: Relations with hereditary and environmental factors. *Criminal Behaviour and Mental Health*, *8*, 115-126.
- Ruchkin, V. V., Kuposov, R. A., Eisemann, M., & Häggglöf, B. (2001). Conduct problems in Russian adolescents: The role of personality and parental rearing. *European Child & Adolescent Psychiatry*, *10*, 19-27.
- Ruchkin, V. V., Schwab-Stone, M., Kuposov, R., Vermeiren, R., & Steiner, H. (2002). Violence exposure, posttraumatic stress, and personality in juvenile delinquents. *Journal of the American Academy of Child and Adolescent Psychiatry*, *41*, 322-329.
- Sancho, C., Arija, M. V., & Canals, J. (2008). Personality in non-clinical adolescents with eating disorders. *European Eating Disorders Review*, *16*, 133-138.
- Sato, T., Narita, T., Hirano, S., Kusunoki, K., Sakado, K., & Uehara, T. (2001). Is interpersonal sensitivity specific to non-melancholic depression? *Journal of Affective Disorders*, *64*, 133-144.
- Saviotti, F. M., Gradi, S., Savron, G., Ermentini, R., Bartolucci, G., Conti, S., & Fava, G. A. (1991). Characterological traits of recovered patients with panic disorder and agoraphobia. *Journal of Affective Disorders*, *23*, 113-117.
- Sayin, A., Kuruoğlu, A. Ç., Güeç, M. Y., & Aslan, S. (2007). Relation of temperament and character properties with clinical presentation of bipolar disorder. *Comprehensive Psychiatry*, *48*, 448-451.
- Smalley, S. L., Loo, S. K., Hale, T. S., Shrestha, A., & McGough, J. (2009). Mindfulness and attention deficit hyperactivity disorder. *Journal of Clinical Psychology*, *65*, 1-12.
- Smith, M. J., Cloninger, C. R., Harms, M. P., & Csernansky, J. G. (2008). Temperament and character as schizophrenia-related endophenotypes in non-psychotic siblings. *Schizophrenia Research*, *104*, 198-205.
- Smith, D. J., Duffy, L., Stewart, M. E., Muir, W. J., & Blackwood, D. H. R. (2005). High harm avoidance and low self-directedness in euthymic young adults with recurrent, early-onset depression. *Journal of Affective Disorders*, *87*, 83-89.
- Soderstrom, H., Rastam, M., & Gillberg, C. (2002). Temperament and character in adults

- with Asperger syndrome. *Autism*, 6, 287-297.
- Stewart, M. E., Donaghey, C., Deary, I. J., & Ebmeier, K. P. (2008). Suicidal thoughts in young people: Their frequency and relationships with personality factors. *Personality and Individual Differences*, 44, 809-820.
- Suzuki, A., Kamata, M., Matsumoto, Y., Shibuya, N., & Otani, K. (2009). Increased body mass index associated with increased harm avoidance and decreased self-directedness in Japanese women. *Journal of Nervous and Mental Disease*, 197, 199-201.
- Szöke, A., Schürhoff, F., Ferhadian, N., Bellivier, F., Rouillon, F., & Leboyer, M. (2002). Temperament in schizophrenia: A study of the tridimensional personality questionnaire (TPQ). *European Psychiatry*, 17, 379-383.
- Tanaka, E., Kijima, N., & Kitamura, T. (1997). Correlations between the Temperament and Character Inventory and the self-rating depression scale among Japanese students. *Psychological Reports*, 80, 251-254.
- Tillman, R., Geller, B., Craney, J. L., Bolhofner, K., Williams, M., Zimmerman, B., Frazier, J., & Beringer, L. (2003). Temperament and character factors in a prepubertal and early adolescent bipolar disorder phenotype compared to attention deficit hyperactive and normal controls. *Journal of Child and Adolescent Psychopharmacology*, 13, 531-543.
- Wachleski, C., Salum, G. A., Blaya, C., Kipper, L., Paludo, A., Salgado, A. P., & Manfro, G. G. (2008). Harm avoidance and self-directedness as essential features of panic disorder patients. *Comprehensive Psychiatry*, 49, 476-481.
- Wagner, A., Barbarich-Marsteller, N. C., Frank, G. K., Bailer, U. F., Wonderlich, S. A., Crosby, R. D., Henry, S. E., Vogel, V., Plotnicov, K., McConaha, C., & Kaye, W. H. (2006). Personality traits after recovery from eating disorders: Do subtypes differ? *International Journal Eating Disorders*, 39, 276-284.
- Wiborg, I. M., Falkum, E., Dahl, A. A., & Gullberg, C. (2005). Is harm avoidance an essential feature of patients with panic disorder? *Comprehensive Psychiatry*, 46, 311-314.
- Yoo, H. J., Kim, M., Ha, J. H., Chung, A., Sim, M. E., Kim, S. J., & Lyoo, I. K. (2006). Biogenetic temperament and character and attention deficit hyperactivity disorder in Korean children. *Psychopathology*, 39, 25-31.
- Yoon, S. J., Jun, C. S., An, H.-Y., Kang, H. R., & Jun, T.-Y. (2009). Patterns of temperament and character in patients with posttraumatic stress disorder and their association with symptom severity. *Comprehensive Psychiatry*, 50, 226-231.
- Young, L. T., Bagby, R. M., Cooke, R. G., Parker, J. D. A., Levitt, A. J., & Joffe, R. T. (1995). A comparison of tridimensional personality questionnaire dimensions in bipolar disorder and unipolar depression. *Psychiatry Research*, 58, 139-143.

Personality disorders

- Ball, S., Smolin, J., & Shekhar, A. (2002). A psychobiological approach to personality: Examination within anxious outpatients. *Journal of Psychiatric Research*, 36, 97-103.
- Ball, S. A., Tennen, H., Poling, J. C., Kranzler, H. R., & Rounsaville, B. J. (1997). Personality, temperament and character dimensions and the DSM-IV personality disorders in substance abusers. *Journal of Abnormal Psychology*, 106, 545-553.
- Barnow, S., Herpertz, S., Spitzer, C., Stopsack, M., Preuss, U. W., Grabe, H. J., Kessler, C., & Freyberger, H. J. (2007). Temperament and character in patients with borderline personality disorder taking gender and comorbidity into account. *Psychopathology*, 40, 369-378.
- Battaglia, M., Przybeck, T. R., Bellodi, L., & Cloninger, C. R. (1996). Temperament dimensions explain the comorbidity of psychiatric disorders. *Comprehensive Psychiatry*, 37, 292-298.
- Bayon, C., Hill, K., Svrakic, D.M., Przybeck, T. R., & Cloninger, C. R. (1996). Dimensional assessment of personality in an out-patient sample: Relations of the system of Millon and Cloninger. *Journal of Psychiatric Research*, 30, 341-352.
- Bejerot, S., Schlette, P., Ekselius, L., Adolfsson, R., & von Knorring, L. (1998). Personality disorders and relationship to personality dimensions measured by the Temperament and Character Inventory in patients with obsessive-compulsive disorder. *Acta Psychiatrica Scandinavica*, 98, 243-249.

- Brent, D. A., Zelenak, J. P., Bukstein, O., & Brown, R. V. (1990). Reliability and validity of the structured interview for personality disorders in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry, 29*, 349-354.
- Calati, R., Giegling, I., Rujescu, D., Martmann, A. M., Möller, H.-J., De Ronchi, D., & Sretti, A. (2008). Temperament and character of suicide attempters. *Journal of Psychiatric Research, 42*, 938-945.
- Casey, J. E., & Joyce, P. R. (1999). Personality disorder and the Temperament and Character Inventory in the elderly. *Acta Psychiatrica Scandinavica, 100*, 302-308.
- Fossati, A., Donati, D., Donini, M., Novella, L., Bagnato, M., & Maffei, C. (2001). Temperament, character, and attachment patterns in borderline personality disorder. *Journal of Personality Disorders, 15*, 390-402.
- Goldman, R. G., Skodol, A. E., McGrath, P. J., & Oldham, J. M. (1994). Relationship between the Tridimensional Personality Questionnaire and DSM-III-R personality traits. *American Journal of Psychiatry, 151*, 274-276.
- Griego, J., Stewart, S. E., & Coolidge, F. L. (1999). A convergent validity study of Cloninger's Temperament and Character Inventory with the Coolidge Axis II Inventory. *Journal of Personality Disorders, 13*, 156-167.
- Gutiérrez, F., Navinés, R., Navarro, P., García-Esteve, L., Subirá, S., Torres, M., & Martín-Santos, R. (2008). What do all personality disorders have in common? Ineffectiveness and uncooperativeness. *Comprehensive Psychiatry, 49*, 570-578.
- Gutiérrez, F., Sangorri, J., Martín-Santos, R., Torres, X., & Torres, M. (2002). Measuring the core features of personality disorders in substance abusers using the Temperament and Character Inventory (TCI). *Journal of Personality Disorders, 16*, 344-359.
- Joyce, P. R., McKenzie, J. M., Luty, S. E., Mulder, R. T., Carter, J. D., Sullivan, P. F., & Cloninger, R. C. (2003). Temperament, childhood environment and psychopathology as risk factors for avoidant and borderline personality disorders. *Australian and New Zealand Journal of Psychiatry, 37*, 756-764.
- Joyce, P. R., Mulder, R. T., Luty, S. E., McKenzie, J. M., Sullivan, P. F., & Cloninger, R. C. (2003). Borderline personality disorder in major depression: Symptomatology, treatment, character, differential drug response, and 6-month outcome. *Comprehensive Psychiatry, 44*, 35-43.
- Karwautz, A., Troop, N. A., Rabe-Hesketh, S., Collier, D. A., & Treasure, J. L. (2003). Personality disorders and personality dimensions in anorexia nervosa. *Journal of Personality Disorders, 17*, 73-85.
- Maggini, C., Ampollini, P., Marchesi, C., Gariboldi, S., & Cloninger, C. R. (2000). Relationships between tridimensional personality questionnaire dimensions and DSM-III-R personality traits in Italian adolescents. *Comprehensive Psychiatry, 41*, 426-431.
- Miller, J. D., Campbell, W. K., Pilkonis, P. A., & Morse, J. Q. (2008). Assessment procedures for narcissistic personality disorder. *Assessment, 15*, 483-492.
- Mulder, R. T., Joyce, P. R., Sullivan, P. F., Bulik, C. M., & Carter, F. A. (1999). The relationship among three models of personality psychopathology: SDSM-III-R personality disorder, TCI scores and DSQ defences. *Psychological Medicine, 29*, 943-951.
- Nagoshi, C. T., Walter, D., Muntaner, C., & Haertzen, C. A. (1992). Validation of the Tridimensional Personality Questionnaire in a sample of male drug users. *Personality and Individual Differences, 13*, 401-409.
- Pukrop, R. (2002). Dimensional personality profiles of borderline personality disorder in comparison with other personality disorders and healthy controls. *Journal of Personality Disorders, 16*, 135-147.
- Richter, J., & Brändsrom, S. (2009). Personality disorder diagnosis by means of the Temperament and Character Inventory. *Comprehensive Psychiatry, 50*, 347-352.
- Svrakic, D. M., Draganic, S., Hill, K., Bayon, C., Przybeck, T. R., & Cloninger, C. R. (2002). Temperament, character, and personality disorders: Etiologic, diagnostic, treatment issues. *Acta Psychiatrica Scandinavica, 106*, 189-195.
- Svrakic, D. M., Whitehead, C., Przybeck, T. R., & Cloninger, C. R. (1993). Differential diagnosis of personality disorders by the seven-factor model of temperament and character. *Archives of General Psychiatry, 50*, 991-999.

TCI and mental disorders

Reference	Instrument	Diagnoses (r) remitted	HA	NS	RD	P	SD	C	ST	other
Abrahams, et al. (2004)	SCID	MDD, Dys-thymia, Depressive PD	High	NI	NI	NI	NI	NI	NI	
Agosti, et al. (2002)	clinical	MDD atypical depression (r)	High	---	---	---	---	---	---	
Alonso, et al. (2008)	SCID	OCD	High	Low	---	---	Low	Low	---	
Álvarez-Moya, et al. (2007)	clinical	Bulimia nervosa	High in women	---	---	---	Low	Low in women	---	
Amianto, et al. (2011)	SCID	Anorexia nervosa	High	---	---	High	Low	---	---	
Ampollini, et al. (1999)	SCID	MD	High	---	High		NI	NI	NI	
Anckarsäter, et al. (2006)	SCID, ASDI	autism spectrum disorders	High	Low	Low	---	Low	Low	---	
Anckarsäter, et al. (2006)	SCID, ASDI	ADHD	High	High	Low	---	Low	Low	High	
Angheliescu et al. (2005)	Alcohol dependence	CIDI	High	---	---	---	Low	---	---	
Ball, et al. (2002)	Panic dis-	ADIS	High	---	---	---	Low	Low	---	

	order									
Ball, et al. (2002)	GAD	ADIS	High	---	---	---	Low	Low	---	
Ball, et al. (2002)	Social phobia	ADIS	High	---	---	---	Low	Low	---	
Ball, et al. (2002)	OCD	ADIS	High	---	---	---	Low	Low	---	
Baiaux, et al. (2001)	Alcohol dependence	SCID	---	High	---	---	low	---	---	Only true for onset < 25
Battaglia, et al. (1998)	DIS-III-R	Somatization disorder	High	High	---	---	NI	NI	NI	
Bejerot, et al. (1998)	clinical	OCD	High	---	---	---	Low	Low	---	
Berg, et al. (2000)	Bulimia nervosa	SCID	High	---	---	---	NI	NI	NI	
Boeker, et al. (2006)	clinical	Schizophrenia	---	---	---	---	Low	Low	High	
Bora, and Veznedaroglu (2007)	SPQ	Relatives of schizophrenia patients with schizotypal features	High	---	---	---	Low	Low	High	
Calati, et al. (2008)	SCID-I	Suicide attempt	High	---	---	---	Low	Low	---	
Cassin, et al. (2005)	review	Anorexia nervosa	High	Low	---	High	Low	Low	---	Avoidant PD

Cassin, et al. (2005)	review	Bulimia nervosa	High	High	---	---	Low	Low	---	Avoidant PD, Borderline PD
Celikel, et al. (2009)	clinical	Depression	High	---	Low	---	Low	---	---	
Chapman, et al. (2009)	SCID-II, SASII	Suicidality Borderline PD	---	---	Attachment Low	---	---	---	---	
Chatterjee, et al. (1997)	Social phobia	SCAN	High	Low	---	---	Low	Low	---	
Cho, et al. (2008)	DISC-IV	ADHD	---	High	Low	---	Low	Low	---	JTCI
Cho, et al. (2009a)	DISC-IV	Social phobia	High	---	---	---	Low	---	---	JTCI
Cho, et al. (2009a)	DISC-IV	Specific phobia	High	---	---	---	---	---	---	JTCI
Cho, et al. (2009a)	DISC-IV	OCD	---	---	---	---	Low	---	---	JTCI
Cho, et al. (2009a)	DISC-IV	Separation anxiety								JTCI
Cho, et al. (2009b)	DISC-IV	ADHD	---	High	---	Low	Low	---	---	JTCI
Cloninger, et al. (2006)	CES-D	depression	High	---	---	High	Low	---	---	
Cortés, et al. (2009)	Schizophrenia	SCAN	High	---	Low	---	Low	Low	High	
Cortés, et al. (2009)	Psychotic disorders	SCAN	---	High	---	---	Low	---	High	
Cowley, et al. (1993)	Panic dis-	SCID	High	---	---	---	NI	NI	NI	

	order									
Cowley, et al. (1993)	GAD	SCID	High	---	---	---	NI	NI	NI	
Csorba,et al. (2009)	MINI	Depression with suicidal- ty	High	---	---	---	---	---	---	JTCI
Csorba,et al. (2009)	MINI	Depression without sui- cidity	---	---	---	---	---	---	---	JTCI
de Padilla, et al. (2006)		schizophrenia	---	---	Low	---	Low	Low	---	
de Saint Hilaire, Z. et al. (2005)	Poly- somnia- graphy	Primary in- somnia	High	---	---	---	Low	---	---	
de Winter, et al. (2007)	clinical	Major depres- sive disorder remitted	High	---	---	---	---	---	---	
de Winter, et al. (2007)	clinical	Major depres- sive disorder (anx- ious-retarded) remitted	High	---	---	---	Low	---	---	
Downey, et al. (1996)	clinical	ADHD	---	High	---	---	NI	NI	NI	TPQ
Downey, et al. (1997)	clinical	ADHD	High	High	---	---	NI	NI	NI	TPQ
Engström, et al. (2004)	PSE,	Bipolar disor-	---	---	Low	---	---	Low	---	

	OPTCRIT	der								
Ettelt, et al. (2008)	SADS	OCD	High	---	---	---	NI	NI	NI	
Evans, et al. (2005)	SCID	Bipolar disorder	High	High	---	---	Low	Low	High	
Farmer and Seeley (2009)	CESD	depression	---	---	Low	---	Low	Low	---	
Faraone, et al. (2009)	clinical	ADHD	High	High	Low	Low	Low	Low	High	
Farmer, et al. (2003)	BDI	depression	High	Low	---	---	Low	Low	High	
Fassino, et al. (2009).	SCID	Anorexia nervosa restrictive	High	---	---	High	Low	---	---	
Fassino, et al. (2009).	SCID	Anorexia nervosa bingeing	High	---	---	---	Low	---	---	
Fassino, et al. (2009).	SCID	Bulimia nervosa	High	---	---	---	Low	---	---	
Ghazinour, et al. (2003)	BDI	depression	High	---	---	Low	Low	Low	---	
Gil (2005)	SCID	PTSD	High	Low	---	---	NI	NI	NI	
Goncalves, et al. (2009)	BDI	depression	High	---	Low	Low	Low	Low	---	TCI-R
Goncalves, et al. (2009)	BAI	anxiety	High	---	---	Low	Low	Low	---	TCI-R
Gonzalez-Torres, et al. (2009)	PANSS	Schizophrenia	High	---	Low	---	Low	Low	High	
Gothelf, et al. (2004)	clinical	OCD	High	---	---	---	---	---	---	
Guillem, et al. (2002)	SAPS, SANS	Schizophrenia Negative	---	---	---	---	---	---	---	

		symptoms								
Guillem, et al. (2002)	SAPS, SANS	Disorganized symptoms	---	---	---	---	---	---	---	
Guillem, et al. (2002)	SAPS, SANS	Psychotic symptoms	---	High	---	---	Low	---	Low	
Hakala, et al. (2006)	clinical	Somatization	High	Low	---	---	NI	NI	NI	
Halvorsen, et al. (2009)	YSQ	(dysfunctional) cognitive schema	High	---	---	---	Low	---	---	
Halvorsen, et al. (2009)	SCID	Major Depres- sion (r)	High	---	---	---	Low	---	---	
Hansenne, et al. (2009)	clinical	MDD	High	---	---	Low	Low	Low	High	TCI-R
Hansenne, et al. (1998)	clinical	Depression	High	---	---	---	NI	NI	NI	
Hansenne, et al. (1999)	clinical	Depression	High	---	---	---	Low	Low	High	
Hiramura, et al. (2009)	CBCL	aggression	---	High	---	---	---	---	---	JTCI
Hiramura, et al. (2009)	CBCL	delinquency	Low	High	---	---	---	---	---	JTCI
Hirano, et al. (2002)	clinical	MDD (r)	High	---	---	---	---	---	---	
Hori, et al. (2008)	MINI	Schizophrenia	High	Low	Low	---	Low	Low	High	
Hori, et al. (2008)	PANSS	Schizophrenia positive symptoms	---	---	---	---	---	---	High	
Hori, et al. (2008)	PANSS	Schizophrenia negative	---	---	Low	Low	---	Low	---	

		symptoms								
Hori, et al. (2008)	PANSS	Schizophrenia general symp- toms	---	---	Low	---	---	Low	---	
Hsu, et al. (2007)	MINI	Premenstrual dysphoric dis- order	High	---	---	---	NI	NI	NI	TPQ
Hsu, et al. (2007)	MINI	MDD	High	---	---	---	NI	NI	NI	TPQ
Hur, et al. (2009)	clinical	MDD	High	---	Low	---	Low	Low	---	
Hwang, et al. (2006)	Clinical	Obesity	---	High	---	Low	---	---	---	JTCI
Janowsky, et al. (1999)	clinical	Bipolar De- pressed as compared Unipolar De- pressed	---	High	---	---	NI	NI	NI	TPQ
Johnson, et al. (1997)	Childhood Symptom Checklist	Childhood hyperactivity in alcoholics	---	High	---	---	NI	NI	NI	JTCI
Jylhä and Isometsä (2006)	BDI	depression	High	---	---	---	Low	---	---	
Jylhä and Isometsä (2006)	BAI	anxiety	High	---	---	High	Low	---	High	
Jylhä et al. (2011)	SCID	Bipolar Dis-	High	---	---	Low	Low	---	---	

		order (r)								
Jylhä et al. (2011)	SCID	Major Depressive Disorder (r)	High	---	Low	Low	---	---	Low	
Karvonen, et al. (2006)	Symptom count	somatization	High	---	High	---	NI	NI	NI	
Kennedy, et al. (2001)	clinical	MDD	High	---	---	NI	NI	NI	NI	TPQ
Kennedy, et al. (2001)	clinical	Panic disorder	High	---	---	NI	NI	NI	NI	TPQ
Kennedy, et al. (2001)	clinical	GAD	High	---	---	NI	NI	NI	NI	TPQ
Kennedy, et al. (2001)	clinical	Social phobia	High	---	---	NI	NI	NI	NI	TPQ
Kennedy, et al. (2001)	clinical	OCD	High	---	---	NI	NI	NI	NI	TPQ
Kennedy, et al. (2001)	clinical	Mixed dep + anxiety	High	---	---	NI	NI	NI	NI	TPQ
Kim,S. J., et al. (2009)	clinical	OCD	High	---	Low	---	Low	Low	---	JTCI
Kim, S. J., et al. (2006)	YSR	Internalizing behaviours	High	---	Low	---	Low	---	High	JTCI
Kim, S. J., et al. (2006)	YSR	Externalizing behaviours	High	High	---	---	Low	Low	High	JTCI
Kim, S. W., et al. (1996)	SCID	Social phobia	High	---	---	Low	NI	NI	NI	TPQ
Kim, S. W., et al. (2001)	SCID	Pathological gambling	---	High	---	---	NI	NI	NI	TPQ
Kim, S. W., et al. (2001)	SCID	OCD	---	---	---	---	NI	NI	NI	TPQ
Kimura, et al. (2000)	clinical	MDD	High	---	---	---	Low	Low	---	

Kleinfield, et sl. (1994)	clinical	Anorexia nervosa restrictor	High	Low	---	NI	NI	NI	NI	TPQ
Kleinfield, et sl. (1994)	clinical	Anorexia bulimia	High		---	NI	NI	NI	NI	TPQ
Kleinfield, et sl. (1994)	clinical	Bulimia normal weight	High	High	---	NI	NI	NI	NI	TPQ
Kleinfield, et sl. (1994)	clinical	Bulimia past history of anorexia	High	High	---	NI	NI	NI	NI	TPQ
Klum, et al. (2004)	Anorexia nervosa recovered	SIAB	---	High	---	---	---	---	---	
Klum, et al. (2004)	Bulimia nervosa recovered	SIAB	High	High	---	---	Low	Low	High	
Klum, et al. (2004)	AN + BN recovered	SIAB	High	---	---	---	Low	Low	---	
Klum, et al. (2004)	Eating disorders NOS	SIAB	High	---	---	---	---	---	---	
Krug, et al. (2008)	STAXI-2	trait anger	High	---	Low	---	Low	Low	---	
Krug, et al. (2008)	STAXI-2	anger out	---	---	---	---	Low	---	---	
Krug, et al. (2008)	STAXI-2	anger in	High	---	Low	---	Low	Low	---	

Krug, et al. (2008)	STAXI-2	state anger	---	---	---	---	Low	Low	---	
Kurs, et al. (2005)	clinical	Schizophrenia	High	---	Low	---	NI	NI	NI	TPQ
Kusunoki, et al. (2000)	clinical	OCD	High	Low	---	---	Low	Low	---	
	clinical	Depression	High	---	---	---	Low	Low	---	
Lövdahl, et al. (2010)	MINI	Bipolar II	High	---	---	---	Low	---	---	
Lövdahl, et al. (2010)	MINI	Recurrent brief depression	High	---	---	---	Low	---	---	
Loftus, et al. (2008)	SCID	Bipolar I disorder	High	---	---	---	Low	---	High	
Lynn, et al. (2005)	SADS-LAS	ADHD	---	High	---	---	---	---	High	
Malmgren-Olsson and Bergdahl (2006)	clinical	pain	High	---	---	---	Low	---	---	
Marchesi, et al. (2008)	SCID	Panic disorder non-treatment responder	High	---	---	Low	Low	Low	---	
Marchesi, et al. (2008)	SCID	Panic disorder treatment responder	High	---	---	---	---	---	---	
Margetić, et al. (2011)	MINI	Schizophrenia	High	Low	---	---	Low	---	High	
Marijnissen, et al. (2002)	clinical	Major depressive disorder	High	---	---	---	Low	---	---	
Matsudaira, T., et al.	HADS	depression	---	---	---	---	Low	---	---	

(2009)										
Matsudaira, T., et al. (2009)	HADS	anxiety	---	---	---	---	Low	---	High	
Matsudaira, T., et al. (2006)	HADS	depression	---	---	Low	Low	Low	Low	Low	
Matsudaira, T., et al. (2006)	HADS	anxiety	High	High	---	High	Low	---	High	
Minaya and Fresán (2009)	clinical	Depression	High	---	Low	Low	Low	Low	Low	
Minaya and Fresán (2009)	clinical	Depression with Anxiety disorders	High	---	Low	Low	Low	Low	Low	
Mizushima et al. (1998)	clinical	Bulimia Nervosa	HA1 (anticipatory worry) High	High	---	---	NI	NI	NI	
Mizushima et al. (1998)	clinical	Dieters	---	High	---	---	NI	NI	NI	
Mörtberg, et al. (2007)	SCID	Social phobia	High	Low	---	---	Low	Low	Low	
Nagata, et al. (2003)	clinical	Anorexia nervosa restricting	---	Low	Low	High	---	---	Low	
Nagata, et al. (2003)	clinical	Anorexia nervosa binge-	---	---	low	High	---	---	low	

		ing/purging								
Nagata, et al. (2003)	clinical	Bulimia nervosa purging	---	---	Low	---	Low	---	---	
Naito, et al. (2000)	SDS	depression	---	---	---	---	Low	---	---	
Nery, et al. (2008)	SCID	Bipolar disorder (r)	High	High	---	---	Low	Low	High	
Nery, et al. (2009)	SCID	Depression	---	---	---	---	Low	---		
Nowakowska, et al. (2005)	SCID	MDD	High	High	---	---	Low	---	---	
Nowakowska, et al. (2005)	SCID	Bipolar I + II	High	High	---	---	Low	---	High	
Olvera, et al. (2009)	K-SADS	Bipolar I + II	High	High	Low	Low	Low	Low	High	JTCI
Osher, et al. (1996)	clinical	Bipolar disorder	High	---	High	Low	NI	NI	NI	TPQ
Osher, et al. (1999)	clinical	Bipolar disorder (r)	---	---	---	Low	NI	NI	NI	TPQ
Pallanti (2007)	clinical	Social anxiety disorder	High	Low	---	---	NI	NI	NI	TPQ
Pecorari, et al. (2009)	BDDQ	Body dysmorphic disorder	High	---	---	---	Low	---	---	
Pfohl, et al. (1990)	clinical	OCD	High	Low	High	NI	NI	NI	NI	
Pud, et al. (2004)		Pain	High	---	---	---	NI	NI	NI	TPQ

Purper-Ouakil, et al. (2010)	ADHD rating scale-IV	ADHD	---	High	Low	Low	Low	Low	---	JTCI
Rettew, et al. (2004)		ADHD	---	---	---	Low	---	---	---	JTCI
Rettew, et al. (2004)		Disruptive Behavior Disorders	---	High	---	---	---	---	---	JTCI
Richter, et al. (2000)	ICD-10/CI DI	MDD (r)	---	High	---	---	Low	---	---	
Richter, et al. (1996)		OCD	High	---	---	---	NI	NI	NI	TPQ
Ritsner, and Susser (2004)	clinical	Schizophrenia	High	---	Low	NI	NI	NI	NI	TPQ
Ritsner, and Susser (2004)	clinical	positive symptoms	---	---	---	NI	NI	NI	NI	TPQ
Ritsner, and Susser (2004)	clinical	negative symptoms	---	---	Low	NI	NI	NI	NI	TPQ
Ritsner, and Susser (2004)	clinical	general psychopathology	---	---	Low	NI	NI	NI	NI	TPQ
Ruchkin, et al. (1998)	RIES	PTSD	High	---	High	---	---	---	---	
Ruchkin, et al. (1998)	clinical	Delinquency	High	High	---	---	Low	---	High	
Ruchkin, et al. (2001)	ABC, RETRO-PROB	Conduct disorder	---	High	---	---	Low	Low	---	

Ruchkin, et al. (2002)	K-SADS-PL	PTSD	High	---	NI	NI	Low	---	High	JTCI
Sancho, et al. (2008)	DICA	Anorexia Nervosa	---	---	High	---	---	---	---	JTCI
Sancho, et al. (2008)	DICA	Bulimia Nervosa	High	High	---	---	---	---	High	JTCI
Sato, et al. (2001)	SCID	MDD	---	High	---	---	Low	Low	---	
Saviotti, et al. (1991)	SADS	Panic disorder with agoraphobia recovered	High	---	---	NI	NI	NI	NI	
Sayin, et al. (2007)	SCID	Bipolar disorder (r)	---	---	---	---	Low	Low	---	
Smalley, et al. (2009)	SADS-LAS	ADHD	---	High	---	---	Low	---	High	
Smith, et al. (2008)	clinical	Schizophrenia	High	---	Low	---	Low	Low	High	
Smith, et al. (2005)	clinical	Major depressive disorder, recurrent	High	---	---	---	Low	---	---	
Sodersrom, et al. (2002)	clinical	Asperger syndrome	High	Low	Low	---	Low	Low	High	
Stewart, et al. (2008)	GHQ	Suicidal thought	High	---	---	---	NI	NI	NI	

Suzuki, et al. (2009)	Body mass index	obesity	High	---	---	---	Low	---	---	
Szöke, et al. (2002)	DIGS	Schizophrenia	High	---	---	NI	NI	NI	NI	TPQ
Tanaka, et al. (1997)	SDS	depression	High	---	---	---	Low	---	Low	
Tanaka, et al. (1997)	BAI	anxiety	---	---	---	---	Low	Low	---	
Tillman, et al. (2003)	K-SADS	Bipolar Disorder (r)	---	High	Low	Low	Low	Low	---	JTCI
Tillman, et al. (2003)	K-SADS	ADHD	---	High	Low	Low	Low	Low	---	JTCI
Wachleski, et al. (2008)	MINI	Panic disorder	High	---	---	---	Low	Low	---	
Wagner, et al. (2006)	SCID	Anorexia nervosa restricting recovered	High	---	---	Low	Low	---	---	
Wagner, et al. (2006)	SCID	Anorexia nervosa bingeing recovered	High	---	---	Low	Low	---	---	
Wagner, et al. (2006)	SCID	Bulimia nervosa recovered	High	---	---	Low	low	Low	---	
Wiborg, et al. (2005)	SCID	Panic disorder without personality disorder	High	---	---	---	NI	NI	NI	TPQ
Yoo, et al. (2006)	ARS-IV	ADHD	---	High	---	Low	Low	Low	---	JTCI
Yoon, et al. (2009)	SCID	PTSD	High	---	---	---	Low	Low	High	

Young, et al. (1995)	RDC/SAD S	Unipolar de- pression	High	---	---	NI	NI	NI	NI	TPQ
Young, et al. (1995)	RDC/SAD S	Bipolar disor- der	High	High	---	NI	NI	NI	NI	TPQ

ABC, Antisocial Behavior Checklist; ADHD, attention deficit hyperactivity disorder; ADIS, Anxiety Disorders Interview Schedule; ARS-IV, DuPaul ADHD Rating Scale; ASDI, Asperger Syndrome Diagnostic Interview; BAI, Beck Anxiety Inventory; BDDQ, Body Dysmorphic Disorder Questionnaire; BDI, Beck Depression Inventory; CBCL, Child Behavior Check List; CES-D, Center for Epidemiologic Studies Depression Scale; CIDI, Composite International Diagnostic Interview; DICA, Diagnostic Interview for Children and Adolescents); DIGS, Diagnostic Interview of Genetic Studies; DIS-III-R, NIMH Diagnostic Interview Schedule (3rd ed.); DISC-IV, Diagnostic Interview for Children 4th version; GHQ, General Health Questionnaire; HADS, Hospital Anxiety and Depression Scale; K-SADS, Schedule for Affective Disorders and Schizophrenia for School-Age Children; K-SADS-PL, Schedule for Affective Disorders and Schizophrenia for School-Age Children-Present and Lifetime Version; MINI, Mini International Neuropsychiatric Interview; OCD, obsessive-compulsive disorder; OPTCRIT, xxxxxxxxxxxx, PANSS, Positive and Negative Syndrome Scale; PSE-10, Present State Examination version 10; PTSD, post-traumatic stress disorder; RDC, Research Diagnostic Criteria; RETROPROB, Retrospective Childhood Problems; RIES, Revised Impact of Event Scale; SADS, Schedule for Affective Disorder and Schizophrenia; SAPS, Scale for Assessment of Positive Symptoms; SANS, Scale for Assessment of Negative Symptoms; SASII, Suicide Attempt Self-injury Interview; SCAN, Schedule for Clinical Assessment in Neuropsychiatry; SCID: Structured Clinical Interview for DSM-IV; SDS, Self-rating Depression Scale; SIAB, Structured Inventory of Anorexic and Bulimic Syndromes; SPQ, Schizotypal Personality Questionnaire; STAXI-2, State-Trait Anger Expression Inventory 2 version; YSR, Youth Self-Report; YSQ, Young Schema Questionnaire;

TCI and personality disorders

Reference	Instrument	Categories	HA	NS	RD	P	SD	C	ST	other
Ball, et al. (2002)	PDQ-R	Cluster A	High	---	Low	---	Low	Low	---	
		Cluster B	High	High	---	---	Low	Low	---	
		Cluster C	High	---	---	---	Low	Low	---	
Ball, et al. (1997)	SCID-II	Paranoid	High	---	---	---	---	----	---	
		Schizoid	---	---	Low	---	---	----	---	
		Schizotypal	---	---	----	---	---	----	---	
		Antisocial	---	High	----	---	Low	----	---	
		Borderline	High	----	---	Low	Low	Low	---	
		Histrionic	---	---	----	---	---	----	---	
		Narcissistic	---	---	----	---	Low	Low	---	
		Avoidant	High	---	---	----	---	---	----	
		Dependent	---	---	----	---	---	----	---	
		Obsessive	---	---	----	High	---	---	----	
Barnow, et al. (2007)	SCID-II	Borderline men	High	High	---	---	Low	---	---	
Barnow, et al. (2007)	SCID-II	Borderline women	High	---	---	---	Low	---	---	
Battaglia, et al. (1996)	SIDP-R	PD general	High	High	---	---	---	---	---	
		Cluster A	High	---	Low	---	---	---	---	
		Paranoid	---	---	Low	---	---	---	---	
		Schizoid	---	Low	Low	---	---	---	---	
		Schizotypal	High	---	Low	---	---	---	---	

		Cluster B	High	High	---	---	---	---	---	
		Antisocial	---	High	---	---	---	---	---	
		Borderline	High	High	---	---	---	---	---	
		Histrionic	High	High	High	---	---	---	---	
		Narcissistic	High	High	---	---	---	---	---	
		Cluster C	High	---	---	---	---	---	---	
		Avoidant	High	---	Low	---	---	---	---	
		Dependent	High	High	---	---	---	---	---	
		Obsessive	High	---	---	High	---	---	---	
		Others	---	---	---	---	---	---	---	
		Passive-aggressive	High	High	---	---	---	---	---	
		Sadistic	---	High	---	---	---	---	---	
		Self-defeating	High	High	---	---	---	---	---	
Bayon, et al. (1996)	MCMI-II	Paranoid	---	---	---	---	Low	Low	High	
		Schizoid	High	---	Low	---	Low	---	---	
		Schizotypal	High	---	---	---	Low	Low	---	
		Antisocial	---	High	---	---	Low	Low	---	
		Borderline	High	---	---	---	Low	Low	---	
		Histrionic	Low	High	---	---	---	---	High	
		Narcissistic	---	---	---	---	---	---	High	
		Avoidant	---	---	---	---	---	---	---	
		Dependent	---	---	---	---	---	---	---	

		Obsessive	---	---	---	---	---	---	---	
		Passive-aggressive	High	High	---	---	Low	Low	---	
		Sadistic	---	---	---	---	---	Low	---	
		Self-defeating	High	---	---	---	Low	---	---	
Bejerot, et al. (1998)		Cluster A	---	---	---	---	Low	---	---	
		Paranoid	---	---	---	---	Low	Low		
		Schizoid	---	---	Low	---	---	---	---	
		Schizotypal	High	---	---	---	Low	---	Low	
		Cluster B	---	High	---	---	---	---	---	
		Antisocial	---	---	---	---	Low	---	---	
		Borderline	High	---	---	---	Low	---	---	
		Histrionic	---	High	High	---	---	---	---	
		Narcissistic	---	---	---	---	Low	Low		
		Cluster C	---	Low	---	---	Low	---	---	
		Avoidant	High	Low	---	---	Low	---	---	
		Dependent	High	---	High		Low	---	---	
		Obsessive	High	Low	---	---	Low	---	---	
		Others								
		Passive-aggressive	---	---	---	---	Low	---	---	
Brent, et al. (1990)	SIDP	Cluster B	---	High	---	NI	NI	NI	NI	TPQ
Casey and Joyce (1999)	SCID-II	Paranoid	---	---	Low	---	Low	Low	---	

		Schizoid	---	---	Low	---	---	---	---	
		Schizotypal	--	High	---	---	---	---	High	
		Borderline	---	---	---	---	Low	---	---	
		Histrionic	---	---	---	---	---	---	---	
		Narcissistic			Low		Low	Low		
		Avoidant	High	---	---	---	Low	---	---	
		Dependent	High	---	High	---	Low	---	---	
		Obsessive	---	---	Low	---	Low	Low	---	
Fossati, et al. (2001)	SCID-II	Borderline	High	High	---	NI	Low	Low	---	
Goldman, et al. (1994)	SCID-II	Paranoid	---	---	---	NI	NI	NI	NI	TPQ
		Schizoid	High	Low	Low	NI	NI	NI	NI	TPQ
		Schizotypal	---	---	---	NI	NI	NI	NI	TPQ
		Antisocial	---	High	Low	NI	NI	NI	NI	TPQ
		Borderline	---	High	---	NI	NI	NI	NI	TPQ
		Histrionic	---	High	---	NI	NI	NI	NI	TPQ
		Narcissistic	---	High	---	NI	NI	NI	NI	TPQ
		Avoidant	High	Low	---	NI	NI	NI	NI	TPQ
		Dependent	---	---	High	NI	NI	NI	NI	TPQ
		Obsessive	High	Low	---	NI	NI	NI	NI	TPQ
		Passive-aggressive	---	---	---	NI	NI	NI	NI	TPQ
		Self-defeating	---	---	---	NI	NI	NI	NI	TPQ
Griego, et al. (1999)	CATI	Paranoid	High	High	Low	---	Low	Low	---	

		Schizoid	---	Low	Low	---	Low	---	---	
		Schizotypal	High	High	Low	---	Low	Low	---	
		Antisocial	---	High	Low	---	Low	Low	---	
		Borderline	High	High	---	---	Low	Low	---	
		Histrionic	---	High	High	---	Low	Low	---	
		Narcissistic	---	High	---	---	Low	Low	---	
		Avoidant	High	---	---	Low	Low	Low	Low	
		Dependent	High	---	High	---	Low	Low	---	
		Obsessive	High	Low	Low	---	Low	Low	Low	
		Passive-aggressive	High	High	---	Low	Low	Low	Low	
		Self-defeating	High	---	---	---	Low	Low	---	
		Sadistic	---	High	Low	---	Low	Low	---	
		Depressive	High	---	---	---	Low	Low	Low	
Gutiérrez, et al. (2008)	SCID-II	PD general	---	---	---	---	Low	Low	---	
Gutiérrez, et al. (2002)	SCID-II	PD general	---	---	Low	---	Low	Low	High	
		Cluster A	---	---	Low	---	---	---	---	
		Schizotypal	---	---	---	Low	---	---	---	
		Histrionic	Low	---	---	---	---	---	---	
		Avoidant	High	---	---	---	---	---	---	
Joyce, et al. (2003)	SCID-II	Borderline	---	High ?	---	---	NI	NI	NI	TPQ
		Avoidant	High	Low	---	---	NI	NI	NI	TPQ
Joyce, et al. (2003)	SCID-II	Borderline	High	High	---	---	Low	Low	---	

Karwautz, et al. (2003).	IPDE-ICD-10	PD general	High	---	---	---	Low	Low	---	
		Paranoid	---	---	---	---	---	Low	---	
		Schizoid	High	---	---	---	---	---	---	
		Dissocial	---	---	---	---	---	---	---	
		Histrionic	---	High	---	---	---	---	---	
		Impulsive	---	---	---	---	Low	---	High	
		Borderline	---	---	---	---	Low	---	---	
		Anankastic	---	Low	---	High	Low	---	---	
		Anxious	High	Low	---	---	Low	---	---	
		Dependent	High	Low	---	---	Low	---	---	
		Unspecific	High	---	---	---	Low	Low	---	
Maggini, et all. (2000)	SCID-II	Paranoid	High	Low	Low	High	NI	NI	NI	TPQ
		Schizoid	High	Low	Low	---	NI	NI	NI	TPQ
		Schizotypal	High	High	High	High	NI	NI	NI	TPQ
		Antisocial	Low	High	Low	Low	NI	NI	NI	TPQ
		Borderline	High	High	---	High	NI	NI	NI	TPQ
		Histrionic	---	High	High	High	NI	NI	NI	TPQ
		Narcissistic	---	High	High	High	NI	NI	NI	TPQ
		Avoidant	High	---	High	High	NI	NI	NI	TPQ
		Dependent	High	High	High	---	NI	NI	NI	TPQ
		Obsessive	High	Low	Low	High	NI	NI	NI	TPQ

		Passive-aggressive	High	High	Low	Low	NI	NI	NI	TPQ
		Self-defeating	High	High	Low	Low	NI	NI	NI	TPQ
Miller, et al. (2008)	LEAD	Narcissistic	---	High	---	---	Low	Low	---	
Mulder, et al. (1999)	SCID-II	Cluster A	High	---	Low	---	Low	Low	---	
		Paranoid	High	---	---	---	Low	Low	---	
		Schizoid	---	---	Low	---	---	Low	---	
		Schizotypal	High	---	---	---	Low	Low	High	
		Cluster B	---	High	---	---	Low	Low	High	
		Antisocial	---	---	---	---	---	Low	---	
		Borderline	High	High	---	---	Low	Low	High	
		Histrionic	High	---	---	---	Low	---	---	
		Narcissistic	---	---	---	---	Low	Low	---	
		Cluster C	High	Low	---	---	Low	---	---	
		Avoidant	High	Low	---	---	Low	Low	---	
		Dependent	High	---	---	---	Low	---	---	
		Obsessive	---	---	---	---	Low	---	High	
Nagoshi, et al. (1992)	PDQ	Paranoid	High	---	Low	NI	NI	NI	NI	TPQ
		Schizoid	High	---	Low	NI	NI	NI	NI	TPQ
		Schizotypal	High	---	---	NI	NI	NI	NI	TPQ
		Antisocial	---	High	---	NI	NI	NI	NI	TPQ
		Borderline	---	High	---	NI	NI	NI	NI	TPQ
		Histrionic	High	---	---	NI	NI	NI	NI	TPQ

		Narcissistic	High	---	---	NI	NI	NI	NI	TPQ
		Avoidant	High	---	Low	NI	NI	NI	NI	TPQ
		Dependent	High	---	---	NI	NI	NI	NI	TPQ
		Obsessive	---	---	---	NI	NI	NI	NI	TPQ
		Passive-aggressive	High	---	---	NI	NI	NI	NI	TPQ
		Self-defeating	High	---	---	NI	NI	NI	NI	TPQ
Pukrop (2002)	clinical	Borderline	High	---	---	---	Low	Low	High	
Richter and Brändsröm (2009)	clinical	PD general	---	---	---	---	Low	Low	---	
Svrakic, et al. (2002)	PDQ-R	Cluster A	High	---	Low	---	Low	Low	---	
		Paranoid	High	High	Low	High	Low	Low	High	
		Schizoid	High	---	Low	---	Low	Low	---	
		Schizotypal	High	---	Low	---	Low	Low	High	
		Cluster B	High	High	---	---	Low	Low	High	
		Antisocial	---	High	---	---	Low	Low	---	
		Borderline	High	High	---	---	Low	Low	High	
		Histrionic	---	---	---	Low	Low	Low	High	
		Narcissistic	---	High	---	---	Low	Low	High	
		Cluster C	High	High	---	---	Low	Low	---	
		Avoidant	High	---	Low	---	Low	Low	---	
		Dependent	High	High	High	---	Low	Low	---	
		Obsessive	High	---	---	High	Low	Low	---	

Svrakic, et al. (1993)	SIDP-R	Cluster A	High	---	Low	---	Low	Low	---	
		Paranoid	---	High	Low	---	Low	Low	---	
		Schizoid	---	---	Low	---	Low	Low	Low	
		Schizotypal	High	---	Low	---	Low	Low	---	
		Cluster B	---	High	---	---	Low	Low	---	
		Antisocial	---	High	Low	---	Low	Low	---	
		Borderline	High	High	---	---	Low	Low	---	
		Histrionic	---	High	---	---	Low	Low	---	
		Narcissistic	---	---	---	---	Low	Low	---	
		Cluster C	High	---	---	---	Low	Low	---	
		Avoidant	High	Low	---	---	Low	---	---	
		Dependent	High	---	High	---	Low	---	---	
		Obsessive	High	---	---	---	Low	Low	---	
		Passive-aggressive	---	High	---	Low	Low	Low	---	
		Sadistic	---	High	---	---	Low	Low	---	
		Self-defeating	High	---	---	---	Low	Low	---	

CATI, Coolidge Axis II Inventory; IPDE-ICD-10, International Personality Disorder Examination-ICD-10 module; LEAD, Longitudinal, Expert, All Data; MCMI-II, Millon Clinical Multiaxial Inventory-II; NI: no information; PDQ, Personality Disorder Questionnaire; PDQ-R, personality Disorder Questionnaire-Revised; SIDP-R, Structured Interview for DSM-III Personality Disorders-Revised;